

SPECIFIEKE ZOEKSTRATEGIE NHG-STANDAARD BUIKPIJN BIJ KINDEREN

Oriënterende search, december 2009

("1990"[Publication Date] : "3000"[Publication Date]) AND ("Abdominal Pain"[mh] AND ("Child"[mh] OR "Child, Preschool"[mh]) AND ((meta-analysis[pt] OR meta-anal*[tw] OR metaanal*[tw]) OR (quantitativ* AND review*[tw] OR systematic* AND review*[tw] OR methodologic* AND review*[tw]) OR (review[pt] AND (medline[tw] OR Cochrane[tw]))) NOT (letter[pt] OR comment[pt] OR editorial[pt])) NOT adult[mh])

("1990"[Publication Date] : "3000"[Publication Date]) AND ("Abdominal Pain"[mh] AND ("Child"[mh] OR "Child, Preschool"[mh]) AND (guideline[pt] OR practice guideline[pt] OR health planning guidelines[mh] OR consensus development conference[pt] OR consensus development conference, nih[pt] OR consensus development conferences as topic[mh] OR consensus development conferences, nih as topic[mh] OR guidelines[mh] OR practice guidelines as topic[mh] OR (consensus[ti] AND statement[ti])) NOT adult[mh])

("1990"[Publication Date] : "3000"[Publication Date]) AND ("Abdominal Pain"[mh] AND ("Child"[mh] OR "Child, Preschool"[mh]) AND ((gender*[tw] OR sexe*[ti] OR sexu*[ti]) OR (boy*[ti] OR girl*[ti]) OR (women[ti] OR men[ti]) OR (male[ti] OR female[ti])) NOT adult[mh])

("1990"[Publication Date] : "3000"[Publication Date]) AND ("Abdominal Pain"[mh] AND ("Child"[mh] OR "Child, Preschool"[mh]) AND ("family practice"[mh] OR "primary care"[tiab] OR "family practice"[tiab] OR "general practice"[tiab] OR Primary health care[mh]) NOT adult[mh])

("1990"[Publication Date] : "3000"[Publication Date]) AND ("Abdominal Pain"[mh] AND ("Child"[mh] OR "Child, Preschool"[mh]) AND ("emergency treatment"[mh] OR "emergency medical services"[mh] OR "first aid"[mh] OR "emergency service, hospital"[mh] OR triage[mh] OR "emergency room"[tw] OR ER[tw]) NOT adult[mh])

("1990"[Publication Date] : "3000"[Publication Date]) AND ("Abdominal Pain"[mh] AND ("Child"[mh] OR "Child, Preschool"[mh]) AND ("Ethnology"[Mesh] OR "ethnology"[Subheading] OR "Ethnic Groups"[Mesh] OR "Continental Population Groups"[Mesh] OR "Minority groups"[Mesh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti]) NOT adult[mh])

("1990"[Publication Date] : "3000"[Publication Date]) AND ("Abdominal Pain"[mh] AND ("Child"[mh] OR "Child, Preschool"[mh]) AND (Ann Intern Med[Journal] OR Arch Intern Med[Journal] OR BMJ[Journal] OR Br J Gen Pract[Journal] OR Eur J Gen Pract[Journal] OR Fam Pract[Journal] OR J Fam Pract[Journal] OR JAMA[Journal] OR Lancet[Journal] OR N Engl J Med[Journal] OR Ned Tijdschr Geneeskd[Journal] OR Qual Saf Health Care[Journal] OR Scand J Prim Health Care[Journal]) NOT adult[mh])

Specifieke search, december 2010 – juni 2011

("Butylscopolammonium Bromide"[Mesh] OR buscopan[tiab] OR duspatal*[tiab] OR "mebeverine "[Substance Name]) AND ("abdominal pain"[mh] OR "abdominal pain"[tiab] OR "stomach pain"[tiab] OR "belly pain"[tiab] OR "abdominal cramping"[tiab] OR "abdominal cramps"[tiab] OR "gastrointestinal cramps"[tiab] OR "gastrointestinal spasms"[tiab])

("Abdominal Pain"[Mesh] AND chronic[tw]) AND ((meta-analysis[pt] OR meta-anal*[tw] OR metaanal*[tw] OR (quantitativ* AND review*[tw] OR systematic* AND review*[tw] OR methodologic* AND review*[tw]) OR (review[pt] AND (medline[tw] OR Cochrane[tw]))) NOT (letter[pt] OR comment[pt] OR editorial[pt]))

("Abdominal Pain"[Mesh] AND chronic[tw]) AND ((sensitivity and specificity[mh] OR sensitivity[tw] OR diagnosis[sh] OR diagnostic use[sh] OR specificity[tw]) OR (randomized controlled trial[pt] OR drug therapy[sh] OR therapeutic use[sh:noexp] OR random*[tw]) OR (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos*[tw] OR predict*[tw] OR course[tw]))

("Abdominal Pain"[Mesh] AND chronic[tw]) AND "cohort studies"[mh]

"abdominal pain"[tw] AND "follow-up studies"[mh] AND (acute[tw] OR chronic[tw] OR non-specif*[tw] OR unspecif*[tw] OR recurren*[tw])

((("Abdominal Pain"[Mesh] AND acute[tw]) OR "acute abdominal pain"[tw] OR "acute abdomen"[tw]) AND (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos*[tw] OR predict*[tw] OR course[tw]) NOT adult[mh] AND (Humans[Mesh] AND (English[lang] OR Dutch[lang]) AND (infant[MeSH] OR child[MeSH] OR adolescent[MeSH]) AND ("2000"[PDat] : "3000"[PDat]))) OR (((("Abdominal Pain"[Mesh] AND acute[tw]) OR "acute abdominal pain"[tw] OR "acute abdomen"[tw]) AND (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos*[tw] OR predict*[tw] OR course[tw]) AND (chronic[tw] OR chronicity[tw] OR predict*[tw]) AND (Humans[Mesh] AND (English[lang] OR French[lang] OR Dutch[lang]) AND (infant[MeSH] OR child[MeSH] OR adolescent[MeSH]) AND ("2000"[PDat] : "3000"[PDat])))

("Abdominal Pain"[Mesh] AND (acute[tw] OR chronic[tw] OR recurrent[tw])) AND (prognos*[tw] OR "outcome assessment"[tw] OR "natural history"[tiab] OR course[tiab] OR recurrence[mh] OR predict*[tiab] OR incidence[mh] OR mortality[mh] OR mortality[sh]) AND ("follow-up studies"[mh] OR "cohort studies"[mh] OR "prospective studies"[mh])

"Abdominal Pain"[Mesh] AND (prognosis[mh] OR prognos*[tw] OR incidence[mh] OR mortality[mh] OR mortality[sh] OR "outcome assessment"[tw] OR "natural history"[tiab] OR course[tw] OR predict*[tw]) AND (chronic[tiab] OR recurrent[tiab] OR "Walker LS"[au])

("Abdominal Pain"[mh] OR "Gastrointestinal Diseases"[mh]) AND ("drug therapy"[mh] OR "drug therapy"[sh] OR "therapeutic use[sh]") AND (parasympatholytics[mh] OR spasmolytics[tw] OR lactulose[tw])

((("Abdominal Pain"[mh] OR "abdominal symptoms"[tw] OR RAP[tiab]) AND (recurrent[tw] OR chronic[tw])) AND ("drug therapy"[mh] OR "drug therapy"[sh]) AND ("treatment outcome"[mh] OR "outcome assessment"[tw] OR effectiveness[tw] OR effectivity[tw] OR efficacy[tw])

((("Abdominal Pain"[mh] OR "abdominal symptoms"[tw] OR RAP[tiab]) AND (recurrent[tw] OR chronic[tw])) AND ("therapeutic use"[sh] OR intervention*[ti]) AND ("treatment outcome"[mh] OR "outcome assessment"[tw] OR effectiveness[tw] OR effectivity[tw] OR efficacy[tw]) NOT "drug therapy"[sh])

((("Abdominal Pain"[mh] OR "abdominal symptoms"[tw] OR RAP[tiab]) AND (recurrent[tw] OR chronic[tw])) AND (behavior*[tw] OR behaviour*[tw] OR psychosoc*[tw] OR psycholog*[tw] OR "cognitive therapy"[mh] OR "behavior therapy"[mh] OR "family therapy"[mh]) AND ("treatment outcome"[mh] OR "outcome assessment"[tw] OR effectiveness[tw] OR effectivity[tw] OR efficacy[tw]))

((("Abdominal Pain"[mh] OR "Gastrointestinal Diseases"[mh]) AND (chronic[tw] OR recurrent[tw])) AND ("Ethnology"[Mesh] OR "ethnology"[Subheading] OR "Ethnic Groups"[Mesh] OR "Continental Population Groups"[Mesh] OR "Minority groups"[Mesh] OR acculturation[mh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti] OR islam[mh]))

((("Abdominal Pain"[mh] OR "Gastrointestinal Diseases"[mh]) AND (chronic[tw] OR recurrent[tw] OR functional[tw] OR recurrence[tw])) AND ("diagnostic techniques and procedures"[mh] OR "laboratory techniques and procedures"[mh] OR ultrasonography[mh]) AND (efficacy[tw] OR effectiveness[tw] OR effectivity[tw] OR "outcome assessment"[tw] OR useful*[tw]) NOT surgery[tw])

(((((("Abdominal Pain"[mh] OR "abdominal symptoms"[tw] OR RAP[tiab]) AND (recurrent[tw] OR chronic[tw] OR functional[tw])) AND (behavior*[tw] OR behaviour*[tw] OR psychosoc*[tw] OR psycholog*[tw] OR "cognitive therapy"[mh] OR "behavior therapy"[mh] OR "family therapy"[mh]) AND ("treatment outcome"[mh] OR "outcome assessment"[tw] OR effectiveness[tw] OR effectivity[tw] OR efficacy[tw]) AND (Humans[Mesh] AND (English[lang] OR Dutch[lang])) AND (infant[MeSH] OR child[MeSH] OR adolescent[MeSH]) AND ("2000"[PDat] : "3000"[PDat]))) NOT (((("Abdominal Pain"[mh] OR "abdominal symptoms"[tw] OR RAP[tiab]) AND (recurrent[tw] OR chronic[tw])) AND (behavior*[tw] OR behaviour*[tw] OR psychosoc*[tw] OR psycholog*[tw] OR "cognitive therapy"[mh] OR "behavior therapy"[mh] OR "family therapy"[mh]) AND ("treatment outcome"[mh] OR "outcome assessment"[tw] OR effectiveness[tw] OR effectivity[tw] OR efficacy[tw]) AND (Humans[Mesh] AND (English[lang] OR Dutch[lang])) AND (infant[MeSH] OR child[MeSH] OR adolescent[MeSH]) AND ("2000"[PDat] : "3000"[PDat]))) AND (Humans[Mesh] AND (English[lang] OR Dutch[lang])) AND (infant[MeSH] OR child[MeSH] OR adolescent[MeSH]) AND ("2000"[PDat] : "3000"[PDat]))) OR (((("Abdominal Pain"[mh] OR "abdominal symptoms"[tw] OR RAP[tiab]) AND (recurrent[tw] OR chronic[tw] OR functional[tw])) AND ("drug therapy"[mh] OR "drug therapy"[sh]) AND ("treatment outcome"[mh] OR "outcome assessment"[tw] OR effectiveness[tw] OR effectivity[tw] OR efficacy[tw]) AND (Humans[Mesh] AND (English[lang] OR Dutch[lang])) AND (infant[MeSH] OR child[MeSH] OR adolescent[MeSH]) AND ("2000"[PDat] : "3000"[PDat]))) NOT (((("Abdominal Pain"[mh] OR "abdominal symptoms"[tw] OR RAP[tiab]) AND (recurrent[tw] OR chronic[tw])) AND ("drug therapy"[mh] OR "drug therapy"[sh]) AND ("treatment outcome"[mh] OR "outcome assessment"[tw] OR effectiveness[tw] OR effectivity[tw] OR efficacy[tw]) AND (Humans[Mesh] AND (English[lang] OR Dutch[lang])) AND (infant[MeSH] OR child[MeSH] OR adolescent[MeSH]) AND ("2000"[PDat] : "3000"[PDat]))) AND (Humans[Mesh] AND (English[lang] OR Dutch[lang])) AND (infant[MeSH] OR child[MeSH] OR adolescent[MeSH]) AND ("2000"[PDat] : "3000"[PDat]))) OR (((("Abdominal Pain"[mh] OR "abdominal symptoms"[tw] OR RAP[tiab]) AND (recurrent[tw] OR chronic[tw] OR functional[tw])) AND ("therapeutic use"[sh])

OR intervention*[ti]) AND ("treatment outcome"[mh] OR "outcome assessment"[tw] OR effectiveness[tw] OR effectivity[tw] OR efficacy[tw]) NOT "drug therapy"[sh] AND (Humans[Mesh] AND (English[lang] OR Dutch[lang]) AND (infant[MeSH] OR child[MeSH] OR adolescent[MeSH]) AND ("2000"[PDat] : "3000"[PDat])) NOT (((("Abdominal Pain"[mh] OR "abdominal symptoms"[tw] OR RAP[tiab]) AND (recurrent[tw] OR chronic[tw])) AND ("therapeutic use"[sh] OR intervention*[ti])) AND ("treatment outcome"[mh] OR "outcome assessment"[tw] OR effectiveness[tw] OR effectivity[tw] OR efficacy[tw]) NOT "drug therapy"[sh] AND (Humans[Mesh] AND (English[lang] OR Dutch[lang]) AND (infant[MeSH] OR child[MeSH] OR adolescent[MeSH]) AND ("2000"[PDat] : "3000"[PDat])) AND (Humans[Mesh] AND (English[lang] OR Dutch[lang]) AND (infant[MeSH] OR child[MeSH] OR adolescent[MeSH]) AND ("2000"[PDat] : "3000"[PDat])) AND (Humans[Mesh] AND (English[lang] OR Dutch[lang]) AND (infant[MeSH] OR child[MeSH] OR adolescent[MeSH]) AND ("2000"[PDat] : "3000"[PDat]))))

((("Abdominal Pain"[mh] OR "Gastrointestinal Diseases"[mh]) AND (chronic[tw] OR recurrent[tw] OR functional[tw])) AND ("Ethnology"[Mesh] OR "ethnology"[Subheading] OR "Ethnic Groups"[Mesh] OR "Continental Population Groups"[Mesh] OR "Minority groups"[Mesh] OR acculturation[mh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti] OR islam[mh]) AND (Humans[Mesh] AND (English[lang] OR Dutch[lang]) AND (infant[MeSH] OR child[MeSH] OR adolescent[MeSH]) AND ("2000"[PDat] : "3000"[PDat])) NOT (((("Abdominal Pain"[mh] OR "Gastrointestinal Diseases"[mh]) AND (chronic[tw] OR recurrent[tw])) AND ("Ethnology"[Mesh] OR "ethnology"[Subheading] OR "Ethnic Groups"[Mesh] OR "Continental Population Groups"[Mesh] OR "Minority groups"[Mesh] OR acculturation[mh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti] OR islam[mh]) AND (Humans[Mesh] AND (English[lang] OR Dutch[lang]) AND (infant[MeSH] OR child[MeSH] OR adolescent[MeSH]) AND ("2000"[PDat] : "3000"[PDat]))))

((("gastrointestinal diseases"[majr] OR "abdominal pain"[majr]) AND microbiology[sh]) AND (chronic[tw] OR recurrent[tw] OR functional[tw]) AND ((("helicobacter infections"[majr] OR "helicobacter pylori"[majr]) AND complications[sh]) NOT adult[mh])

((("gastrointestinal diseases"[mh] OR "abdominal pain"[mh]) AND microbiology[sh]) AND (chronic[tw] OR recurrent[tw] OR functional[tw] OR recurrence[mh]) AND ((("helicobacter infections"[mh] OR "helicobacter pylori"[mh]) AND complications[sh])

((("Abdominal Pain"[mh] OR "abdominal pain"[tw] OR "Gastrointestinal Diseases"[mh]) AND (chronic[tw] OR recurrent[tw] OR functional[tw] OR recurrence[tw])) AND (sweets[tw] OR candy[tw] OR "dietary sucrose"[tw] OR "apple juice"[tw] OR "orange juice"[tw] OR "fruit juice"[tw] OR "soft drinks"[tw] OR "carbonated beverages"[tw] OR "food additives"[tw] OR "food preservatives"[tw])

((("Abdominal Pain"[mh] OR "abdominal pain"[tw] OR "Gastrointestinal Diseases"[mh]) AND psychology[sh]) AND (chronic[tw] OR recurrent[tw] OR functional[tw] OR recurrence[tw])) AND (anxiety[tw] OR "anxiety disorders"[mh] OR fear[tw] OR stress[tw] OR bullying[tw] OR "domestic violence"[tw] OR "child abuse"[mh] OR "child behavior disorders"[mh] OR psychosomatic[tw]) AND ("cross-sectional studies"[mh] OR "cohort studies"[mh])

"abdominal pain"[majr] AND (signs[tiab] OR signals[tiab] OR indicator*[tiab] OR behavior[tiab] OR behaviour[tiab] OR complaints[tiab]) AND (chronic[tw] OR recurrent[tw] OR functional[tw])

((("Abdominal Pain"[mh] OR "abdominal pain"[tiab] OR "abdominal cramps"[tiab] OR "stomach pain"[tiab] OR (pain[tiab] AND abdomen[tiab])) AND (laxativ*[tiab] OR "dietary fiber"[tiab] OR "dietary fibers"[tiab] OR lactulos*[tiab] OR "bulking agents"[tiab] OR "magnesium oxide"[tiab]) AND (child[tiab] OR children[tiab] OR childhood[tiab]) AND (Humans[Mesh] AND (English[lang] OR Dutch[lang]) AND ("2000"[PDat] : "3000"[PDat]))) OR (("Abdominal Pain"[mh] OR "abdominal pain"[tiab] OR "abdominal cramps"[tiab] OR "stomach pain"[tiab] OR (pain[tiab] AND abdomen[tiab]) OR constipation[tiab]) AND (laxativ*[tiab] OR "dietary fiber"[tiab] OR "dietary fibers"[tiab] OR lactulos*[tiab] OR "bulking agents"[tiab] OR "magnesium oxide"[tiab]) AND (child[tiab] OR children[tiab] OR childhood[tiab]) AND (chronic OR recurring OR recurrent) AND (Humans[Mesh] AND (English[lang] OR Dutch[lang]) AND ("2000"[PDat] : "3000"[PDat])))

"Giardia lamblia"[Mesh] AND ("Abdominal Pain"[Mesh] OR "gastrointestinal diseases"[mh]) AND (sensitivity and specificity[mh] OR (predictive[tw] AND value[tw]))

"Giardia lamblia"[Mesh] AND ("Abdominal Pain"[Mesh] OR "gastrointestinal diseases"[mh]) AND (child[tiab] OR children[tiab] OR childhood[tiab])

"Giardia lamblia"[Mesh] AND ("Abdominal Pain"[Mesh] OR "gastrointestinal diseases"[mh]) AND (incidence[tw] OR prevalence[tw])

"Giardia lamblia"[Mesh] AND ("Abdominal Pain"[Mesh] OR "abdominal pain"[tiab] OR "stomach pain"[tiab] OR "abdominal cramps"[tiab]) AND (chronic OR recurrence OR recurring)

("abdominal pain"[mh] OR "abdominal pain"[tiab] OR "stomach pain"[tiab] OR "gastrointestinal symptoms"[tiab] OR "gastrointestinal disorders"[tiab] OR "gastrointestinal diseases"[mh]) AND "sexual abuse"[tiab] AND (child[tiab] OR children[tiab] OR childhood[tiab])

((("abdominal pain"[mh] OR "abdominal pain"[tiab] OR "stomach pain"[tiab]) AND (chronic[tiab] OR recurring[tiab] OR recurrent[tiab])) AND "celiac disease"[tw] AND (child[tiab] OR children[tiab] OR childhood[tiab]))

(dientamoeba[mh] OR "dientamoeba fragilis"[tiab]) AND ("Abdominal Pain"[Mesh] OR "abdominal pain"[tiab] OR "stomach pain"[tiab] OR "abdominal cramps"[tiab] OR "gastrointestinal diseases"[mh]) AND (chronic[tiab] OR recurrent[tiab] OR recurring[tiab] OR child[tiab] OR children[tiab])

("lactose intolerance"[mh] OR "lactose intolerance"[tiab]) AND ("Abdominal Pain"[Mesh] OR "abdominal pain"[tiab] OR "stomach pain"[tiab] OR "abdominal cramps"[tiab] OR "gastrointestinal diseases"[mh]) AND (chronic[tiab] OR recurrent[tiab] OR recurring[tiab] OR child[tiab] OR children[tiab])

("lactose intolerance"[mh] OR "lactose intolerance"[tiab]) AND ("Abdominal Pain"[Mesh] OR "abdominal pain"[tiab] OR "stomach pain"[tiab] OR "abdominal cramps"[tiab] OR "gastrointestinal diseases"[mh]) AND (chronic[tiab] OR recurrent[tiab] OR recurring[tiab] OR child[tiab] OR children[tiab]) AND (sensitivity and specificity[mh] OR (predictive[tw] AND value[tw]) OR test[tiab] OR testing[tiab])

("C-Reactive Protein"[Mesh] OR "Blood Sedimentation"[Mesh] OR "Leukocytes"[Mesh]) AND ("gastrointestinal diseases"[mh] OR "abdominal pain"[mh] OR "abdominal cramps"[tiab])

OR "stomach pain"[tiab]) AND ("predictive value"[tw] OR "diagnostic tests, routine"[mh]) AND (child[tw] OR children[tw])

"abdominal pain"[tiab] AND (chronic[tiab] OR recurrent[tiab]) AND (yersinia[tw] OR "giardia lamblia"[tw] OR blastocystis[tw] OR "dientamoeba fragilis"[tw] OR "campylobacter jejuni"[tw] OR protozoa[tw] OR "gastrointestinal bacterial infections"[tw]) AND (child[tiab] OR children[tiab])

"abdominal pain"[tiab] AND (chronic[tiab] OR recurrent[tiab]) AND ("food allergens"[tw] OR "lactose H2 breath test"[tw] OR "fructose"[tw] OR "breath hydrogen"[tw] OR "carbohydrate malabsorption"[tw] OR "food intolerance"[tw]) AND (child[tiab] OR children[tiab]) AND (test[tw] OR testing[tw] OR tests[tw] OR diagnosis[tw] OR diagnostic*[tw])

("abdominal pain"[tiab] AND (chronic[tiab] OR recurrent[tiab])) AND (constipation[tw] OR (plain[tiab] AND "X-ray"[tiab])) AND (child[tiab] OR children[tiab]) AND (test[tw] OR testing[tw] OR tests[tw] OR diagnosis[tw])

(epidemiologic-studies OR case-control OR cohort OR follow-up OR longitudinal OR prospective OR retrospective OR crosssectional) AND and campylobacter and AND ("functional abdominal pain" OR "functional gastrointestinal disorder" OR chronic abdominal pain AND "OR " AND recurrent abdominal pain)

"abdominal pain"[tiab] AND (chronic[tiab] OR recurrent[tiab]) AND ("food allergens"[tw] OR "lactose H2 breath test"[tw] OR "fructose"[tw] OR "breath hydrogen"[tw] OR "carbohydrate malabsorption"[tw] OR "food intolerance"[tw] OR "food hypersensitivity"[mh] OR "food allergy"[tw]) AND (child[tiab] OR children[tiab]) AND (test[tw] OR testing[tw] OR tests[tw] OR diagnosis[tw] OR diagnostic*[tw])

(epidemiologic-studies OR case-control OR cohort OR follow-up OR longitudinal OR prospective OR retrospective OR crosssectional) AND and campylobacter and AND ("functional abdominal pain" OR "functional gastrointestinal disorder" OR "chronic abdominal pain" OR "recurrent abdominal pain")

("recurrent abdominal pain"[tw] OR "functional abdominal pain"[tw] OR "chronic abdominal pain"[tw] OR ("abdominal pain"[mh] AND recurrence[mh])) AND (coeliac[tw] OR celiac[tw]) AND (screening[tw] OR investigation[tiab] OR identify*[tiab] OR indentify*[tiab] OR diagnosis[sh] OR etiology[sh]) AND (child OR children)