

SPECIFIEKE ZOEKSTRATEGIE NHG-STANDAARD HOOFDPIJN (M19)

Oriënterende searches, oktober 2012

("Headache Disorders"[Mesh] OR "Headache"[Mesh]) AND ((meta-analysis[pt] OR meta-anal*[tw] OR metaanal*[tw]) OR (quantitativ* AND review*[tw] OR systematic* AND review*[tw] OR methodologic* AND review*[tw]) OR (review[pt] AND (medline[tw] OR Cochrane[tw]))) NOT (letter[pt] OR comment[pt] OR editorial[pt]))

("Headache Disorders"[Mesh] OR "Headache"[Mesh]) AND (guideline[pt] OR practice guideline[pt] OR health planning guidelines[mh] OR consensus development conference[pt] OR consensus development conference, nih[pt] OR consensus development conferences as topic[mh] OR consensus development conferences, nih as topic[mh] OR guidelines[mh] OR practice guidelines as topic[mh] OR (consensus[ti] AND statement[ti]))

("Headache Disorders"[Mesh] OR "Headache"[Mesh]) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw])

("Headache Disorders"[Mesh] OR "Headache"[Mesh]) AND ("Ethnology"[Mesh] OR "ethnology"[Subheading] OR "Ethnic Groups"[Mesh] OR "Continental Population Groups"[Mesh] OR "Minority groups"[Mesh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti])

("Headache Disorders"[Mesh] OR "Headache"[Mesh]) AND ("Sick Leave"[Mesh] OR "Rehabilitation, Vocational"[Mesh] OR "Occupational Health"[Mesh] OR "Absenteeism"[Mesh])

("Headache Disorders"[Mesh] OR "Headache"[Mesh]) AND (Ann Intern Med[Journal] OR Arch Intern Med[Journal] OR BMJ[Journal] OR Br J Gen Pract[Journal] OR Eur J Gen Pract[Journal] OR Fam Pract[Journal] OR J Fam Pract[Journal] OR JAMA[Journal] OR Lancet[Journal] OR N Engl J Med[Journal] OR Ned Tijdschr Geneeskde[Journal] OR Qual Saf Health Care[Journal] OR Scand J Prim Health Care[Journal])

("Headache Disorders"[Mesh] OR "Headache"[Mesh]) AND (gender*[tw] OR (boy*[ti] OR girl*[ti]) OR (women[ti] OR men[ti]) OR (male[ti] OR female[ti]))

("Headache Disorders"[Mesh] OR "Headache"[Mesh]) AND ("emergency treatment"[mh] OR "emergency medical services"[mh] OR "first aid"[mh] OR "emergency service, hospital"[mh] OR triage[mh] OR "emergency room"[tw] OR ER[tw])

Kennislacunesearches, oktober 2011

"Migraine Disorders"[Mesh] AND ("Food/adverse effects"[Mesh] OR "Food Hypersensitivity"[Mesh]) AND (double-blind[tiab] OR randomized[tiab] OR randomised[tiab] OR effectiv*[tiab])

("Headache Disorders"[Mesh] OR "Headache"[Mesh]) AND ("Ethnology"[Mesh] OR "ethnology"[Subheading] OR "Ethnic Groups"[Mesh] OR "Continental Population Groups"[Mesh] OR "Minority groups"[Mesh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti])

"Migraine Disorders/prevention and control"[Mesh] AND "Contraceptives, Oral, Hormonal"[Mesh]

("Musculoskeletal Manipulations"[Mesh] OR "Exercise Therapy"[Mesh] OR "Relaxation Therapy"[Mesh] OR "Acupuncture Therapy"[Mesh] OR "Psychotherapy"[Mesh]) AND "Migraine Disorders/prevention and control"[Mesh]

"Tryptamines/therapeutic use"[Mesh] AND "Migraine Disorders/drug therapy"[Majr] AND (double-blind[tiab] OR randomized[tiab] OR randomised[tiab] OR effectiv*[tiab]) AND (versus[tiab] OR compar*[tiab])

("Valproic Acid/therapeutic use"[Mesh] OR "Valproic Acid/adverse effects"[Mesh]) AND "Migraine Disorders/drug therapy"[Mesh]

"Migraine with Aura"[Mesh] AND "Migraine without Aura"[Mesh] AND physiopathology[sh] AND (differing*[tiab] OR different[tiab] OR differenc*[tiab])

"Migraine Disorders/drug therapy"[Majr] AND ("Anti-Inflammatory Agents, Non-Steroidal"[Mesh] OR "Anti-Inflammatory Agents, Non-Steroidal"[Pharmacological Action])

("Migraine Disorders"[mh] OR "tension-type headache"[mh]) AND menopause[mh] AND course[tw]

("Contraceptives, Oral, Hormonal"[Mesh] OR "contraceptives, oral, combined"[mh]) AND (("Migraine Disorders"[Mesh] AND course[tiab]) OR "Migraine Disorders/prevention and control"[Mesh])

(migraine[mh] OR menstrual migraine[tiab]) AND pathophysiology AND (estrogens[tiab] OR estrogen-related[tiab])

Specifieke searches, maart - juli 2012

(headache[tw] OR "headache disorders"[mh] OR "migraine disorders"[mh] OR migraine[tw]) AND ("Health Plan Implementation"[Mesh] OR implement*[ti]) AND ("Guideline"[Publication Type] OR "Practice Guidelines as Topic"[Mesh] OR "Guidelines as Topic"[Mesh] OR guideline*[ti])

(headache[majr] OR "headache disorders"[majr]) AND questionnaires[majr] AND effect*[tw]

(headache[mh] OR "headache disorders"[mh]) AND referral[mh] AND "primary care"[tw]

"Migraine Disorders"[Mesh] AND ("Brain Infarction"[Mesh] OR ischemic stroke[tiab] OR ischaemic stroke[tiab] OR cerebral event*[tiab]) AND ("Risk"[Mesh] OR risk factors[mh])

("Headache Disorders, Primary"[mh] OR "Headache"[mh]) AND "Physical Examination"[Mesh] AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw])

("Tomography, X-Ray Computed"[Mesh] OR "Magnetic Resonance Imaging"[Mesh]) AND
(("Headache Disorders, Primary"[Majr] OR "Headache"[Majr]) AND (chronic[tiab] OR recurrent[tiab]))
AND (hasabstract[text] AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]))

("Headache Disorders, Primary"[majr]) OR "Headache"[majr]) AND "Physical Examination"[Mesh]
AND (predictive[tiab] OR value[tiab] OR diagnosis[sh])

("Tomography, X-Ray Computed"[Mesh] OR "Magnetic Resonance Imaging"[Mesh]) AND
(("Headache Disorders, Primary"[Mesh] OR "Headache"[Mesh]) AND (chronic[tiab] OR
recurrent[tiab])) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family
medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR
"primary care"[tw])

headache disorders[mh] AND ID migraine[tiab] AND ("Primary Health Care"[mh] OR "Family
Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR
"family practice"[tw] OR "primary care"[tw])

"Tension-Type Headache"[Mesh] AND ("Physical Therapy Modalities"[Mesh] OR "Acupuncture
Therapy"[Mesh] OR "Relaxation Therapy"[Mesh] OR "Psychotherapy"[Mesh]) AND (effect*[tiab] OR
outcome[tiab])

"Tension-Type Headache"[Mesh] AND drug therapy[tw]

("Acetaminophen"[Mesh] OR "Anti-Inflammatory Agents, Non-Steroidal"[Mesh]) AND "Migraine
Disorders/drug therapy"[Mesh]

(tryptamines[mh] OR "Serotonin Receptor Agonists"[Pharmacological Action] OR "Serotonin
Receptor Agonists"[Mesh]) AND "Migraine Disorders/drug therapy"[Mesh]

("Acetaminophen"[Mesh] OR "Anti-Inflammatory Agents, Non-Steroidal"[Mesh]) AND "Migraine
Disorders/drug therapy"[Mesh]

(tryptamines[mh] OR "Serotonin Receptor Agonists"[Pharmacological Action] OR "Serotonin
Receptor Agonists"[Mesh]) AND "Migraine Disorders/drug therapy"[Mesh] AND overuse[tiab]

(valproic acid[mh] OR topiramate[tw]) AND "Migraine Disorders"[Mesh] AND prophyl*[tiab]

("Migraine Disorders"[Majr] AND ("Depressive Disorder"[Majr] OR "Depression"[Majr]) AND (drug
therapy[sh] OR complications[sh] OR relation[tiab] OR interaction[tiab])) OR ("Migraine
Disorders/drug therapy"[Mesh] AND ("Depressive Disorder"[Mesh] OR "Depression"[Mesh]))

("Contraceptives, Oral, Hormonal"[Mesh] OR oral contracept*[tiab] OR hormonal contracept*[tiab])
AND "Migraine Disorders"[Mesh] AND (induce*[tw] OR withdraw*[tiab])

headache disorders, secondary[mh] AND migraine disorders[mh] AND (substance withdrawal
syndrome[mh] OR medication overuse headache[tiab]) AND (therapy[tw] OR program*[tiab] OR
advice[tiab] OR drug therapy[sh] OR treatment*[tiab])

("headache disorders"[Mesh] OR headache[tiab] OR migraine[tiab]) AND ("Health Plan
Implementation"[Mesh] OR implement*[ti] OR adherence[tiab] OR barriers[tiab] OR

compliance[tiab] AND ("Guideline"[Publication Type] OR "Practice Guidelines as Topic"[Mesh] OR "Guidelines as Topic"[Mesh] OR guideline*[ti])

("migraine disorders"[Majr] AND ("Physical Therapy Modalities"[Mesh] OR "Acupuncture Therapy"[Mesh] OR "Relaxation Therapy"[Mesh] OR "Psychotherapy"[Mesh]) AND (effect*[tiab] OR outcome[tiab]) AND ((English[lang] OR French[lang] OR German[lang] OR Dutch[lang]) AND ("2004"[PDat] : "3000"[PDat]))) NOT ("Tension-Type Headache"[Mesh] AND ("Physical Therapy Modalities"[Mesh] OR "Acupuncture Therapy"[Mesh] OR "Relaxation Therapy"[Mesh] OR "Psychotherapy"[Mesh]) AND (effect*[tiab] OR outcome[tiab]) AND ((English[lang] OR French[lang] OR German[lang] OR Dutch[lang]) AND ("2004"[PDat] : "3000"[PDat])))

menstrual migraine[tiab] AND prevent*[tiab] AND (meta-anal*[tiab] OR systematic[sb] OR randomized[tw])

migraine disorders/genetics[majr] AND (genetic predisposition to disease[mh] OR genetic susceptibility[tiab]) AND (influence[tiab] OR role[tiab] OR factor[tiab]) AND review[tw]

migraine disorders[mh] AND weight loss[mh]

"Tension-Type Headache/etiology"[Mesh] AND child*[tiab]

"Tension-Type Headache/therapy"[Mesh] AND child*[tiab]

Eindsearch, mei 2013

(migraine disorders[majr] OR headache disorders[majr] OR headache[majr] OR Tension-Type Headache/therapy[majr] OR migraine without aura[majr] OR migraine with aura[majr] OR headache[tiab] OR migraine[tiab]) AND (randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[mh] OR systematic[sb] OR meta-anal*[tiab])